

In the Claims:

Cancel claims 3, 4, 5, 6, 8 to 12, 16 to 22, 26, 27, 29, 36, 38 to 42, 44, 59, 60, 62 to 64, 67, 68, 75, 76, 79, 84, 90, 91, and 93 to 95.

✓ Claim 7 (twice amended). A modular house toy, comprising:

a solid floor having a top side with two pairs of floor depressions;

a solid ceiling having a bottom side with two pairs of ceiling depressions;

a solid back wall permanently connecting said floor to said ceiling, said back wall having:

two lower wall extensions inserted into a first of said two pairs of floor depressions; and

two upper wall extensions inserted into a first of said two pairs of ceiling depressions to permanently connect said floor to said ceiling in a first vertical connection plane; and

an open arch permanently connecting said floor to said ceiling, said arch having:

two lower arch extensions inserted into a second of said two pairs of floor depressions; and

two upper arch extensions inserted into a second of said two pairs of ceiling depressions to permanently connect said floor to said ceiling in a second vertical connection plane different from said first vertical connection plane.

Claim 13 (amended). A modular house toy, comprising:

a solid floor having four side walls;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling; and

each of said four side walls having a cavity and a projection, each cavity having a rectangular shape, and each projection having a rectangular shape corresponding to said rectangular shape of said cavity.

Claim 14 (amended). A modular house toy, comprising:

a solid floor having four side walls, each of said four side walls having a cavity and a projection, each cavity having a cavity recess, each projection having a projection recess;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling; and

a fastener being disposed in each of said cavity recess and said projection recess.

Claim 23 (amended). A modular house toy, comprising:

a solid floor;

a solid ceiling having four side walls, each of said four side walls having a cavity and a projection, each cavity having a rectangular shape, and each projection having a rectangular shape corresponding to said rectangular shape of said cavity;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling.

Claim 24 (amended). A modular house toy, comprising:

a solid floor;

a solid ceiling having four side walls, each of said four side walls having a cavity and a projection, each cavity having a cavity recess, each projection having a projection recess;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling; and

a fastener being disposed in each of said cavity recess and said projection recess.

\* Claim 28 (amended). A modular house toy, comprising:

a solid floor having four floor side walls, each of said four floor side walls having a floor cavity and a floor projection, and said cavity and said projection being staggered with respect to said floor cavity and said floor projection;

a solid ceiling having four side walls, each of said four side walls having a cavity and a projection;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling.

✓ Claim 30 (amended). A modular house toy, comprising:

a solid floor;

a solid ceiling having a top side and four side walls, said four side walls and said top side forming a one-piece open box;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling; and

a plate connected to said open box and closing said open box.

Claim 31 (twice amended). A modular house toy, comprising:

a solid floor;

a solid ceiling having a top side defining a plane, said top side having at least one flange projecting transverse to said plane;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling.

Claim 34 (twice amended). A modular house toy, comprising:

a solid floor;

a solid ceiling having a top side;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling; and

a roof removably connected to said top side.

Claim 37 (amended). A modular house toy, comprising:

a solid floor having floor depressions;

a solid ceiling having ceiling depressions;

a solid back wall permanently connecting said floor to said ceiling, said back wall having wall extensions, said wall extensions having a bore with a thread for receiving a screw, at least one of said wall extensions being inserted into at least one of said floor depressions and at least one of said wall extensions being inserted into at least one of said ceiling depressions to permanently connect said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling, said arch having arch extensions, at least one of said arch extensions being inserted into at least one of said

floor depressions and at least one of said arch extensions being inserted into at least one of said ceiling depressions to permanently connect said floor to said ceiling.

Claim 43 (amended). A modular house toy, comprising:

a solid floor having floor depressions;

a solid ceiling having ceiling depressions;

a solid back wall permanently connecting said floor to said ceiling, said back wall having wall extensions, at least one of said wall extensions being inserted into at least one of said floor depressions and at least one of said wall extensions being inserted into at least one of said ceiling depressions to permanently connect said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling, said arch having arch extensions, at least one of said arch extensions being inserted into at least one of said floor depressions and at least one of said arch extensions being inserted into at least one of said ceiling depressions to permanently connect said floor to said ceiling, each of said arch extensions having a bore with a thread for receiving a screw.



Claim 45 (amended). A modular house toy, comprising:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling;

said floor, said ceiling, and at least one of said back wall and said arch define a side opening; and

a side wall being removably connected at said side opening.

Claim 69 (twice amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor having a top side with two pairs of floor depressions;

a solid ceiling having a bottom side with two pairs of ceiling depressions;

a solid back wall permanently connecting said floor to said ceiling, said back wall having:

two lower wall extensions inserted into a first of said two pairs of floor depressions; and

two upper wall extensions inserted into a first of said two pairs of ceiling depressions to permanently connect said solid floor to said solid ceiling in a first vertical connection plane;

an open arch permanently connecting said floor to said ceiling, said arch having:

two lower arch extensions inserted into a second of said two pairs of floor depressions; and

two upper arch extensions inserted into a second of said two pairs of ceiling depressions to permanently connect said floor to said ceiling in a second vertical connection plane different from said first vertical connection plane; and

said first fixed supporting structure removably connected to  
said second fixed supporting structure.

Claim 70 (twice amended). A modular house toy configuration,  
comprising:

at least first and second fixed supporting structures each  
having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to  
said ceiling;

an open arch permanently connecting said floor to said  
ceiling; and

said first fixed supporting structure removably connected to  
said second fixed supporting structure;

said floor of said first fixed supporting structure having a  
first floor shape;

said floor of said second fixed supporting structure having a second floor shape substantially identical to said first floor shape;

said ceiling of said first fixed supporting structure having a first ceiling shape;

said ceiling of said second fixed supporting structure having second ceiling shape substantially identical to said first ceiling shape;

said back wall of said first fixed supporting structure having a first back wall shape;

said back wall of said second fixed supporting structure having a second back wall shape substantially identical to said first back wall shape;

said arch of said first fixed supporting structure having a first arch shape; and

said arch of said second fixed supporting structure having a second arch shape substantially identical to said first arch shape.

Claim 71 (twice amended). A modular house toy configuration,  
comprising:

at least first and second fixed supporting structures each  
having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to  
said ceiling; and

an open arch permanently connecting said floor to said  
ceiling;

said first fixed supporting structure removably connected to  
said second fixed supporting structure;

said floor of said first fixed supporting structure having an  
exterior shape;

said floor of said second fixed supporting structure having a  
second exterior shape substantially identical to said exterior  
shape;

said ceiling of said first fixed supporting structure having a third exterior shape substantially identical to said exterior shape; and

said ceiling of said second fixed supporting structure having a fourth exterior shape substantially identical to said exterior shape.

Claim 72 (twice amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling;

said first fixed supporting structure removably connected to said second fixed supporting structure;

said back wall of said first fixed supporting structure having an exterior shape;

said back wall of said second fixed supporting structure having a second exterior shape substantially identical to said exterior shape;

said arch of said first fixed supporting structure having a third exterior shape substantially identical to said exterior shape; and

said arch of said second fixed supporting structure having a fourth exterior shape substantially identical to said exterior shape.

Claim 73 (twice amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling;

said first fixed supporting structure removably connected to said second fixed supporting structure;

said ceiling of said first fixed supporting structure having four first side walls each with a first cavity and a first projection;

said ceiling of said second fixed supporting structure having four second side walls each with a second cavity and a second projection; and

said first projection being removably inserted into said second cavity and said second projection being removably inserted into said first cavity when said ceiling of said first fixed supporting structure is placed adjacent said ceiling of said second fixed supporting structure.

Claim 74 (twice amended). A modular house toy configuration, comprising:



at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling;

said first fixed supporting structure removably connected to said second fixed supporting structure;

said floor of said first fixed supporting structure having four first floor side walls each with a first floor cavity and a first floor projection;

said ceiling of said first fixed supporting structure having four first ceiling side walls each with a first ceiling cavity and a first ceiling projection;

said floor of said second fixed supporting structure having four second floor side walls each with a second floor cavity and a second floor projection;

said ceiling of said second fixed supporting structure having four second ceiling side walls each with a second ceiling cavity and a second ceiling projection; and

when said floor of said first fixed supporting structure is placed immediately adjacent said floor of said second fixed supporting structure and said ceiling of said first fixed supporting structure is simultaneously placed immediately adjacent said ceiling of said second fixed supporting structure:

said first floor projection, said second floor projection, said first ceiling projection, and said second ceiling projection being simultaneously removably inserted into a respective one of said second floor cavity, said first floor cavity, said second ceiling cavity, and said first ceiling cavity.

Claim 77 (amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling;

a solid back wall permanently connecting said floor to said ceiling; and

an open arch permanently connecting said floor to said ceiling;

said first fixed supporting structure removably connected to said second fixed supporting structure, said first fixed supporting structure being a cube having a given length, a given width, and a given height;

said second fixed supporting structure being a cube having said given length, said given width, and said given height; and

said first fixed supporting structure having six sides and being removably connectable to said second fixed supporting structure at every one of said six sides.

Claim 81 (amended). A modular house toy configuration,  
comprising:

at least first and second fixed supporting structures each  
having:

a solid floor having a bottom side;

a solid ceiling having a top side with a connector for  
releasably connecting another of said fixed supporting  
structures on said top side, said connector releasably  
connecting a top side of one of said fixed supporting  
structures to said bottom side of another of said fixed  
supporting structures;

a solid back wall permanently connecting said floor to  
said ceiling;

an open arch permanently connecting said floor to said  
ceiling;

said first fixed supporting structure removably connected to  
said second fixed supporting structure;

said connector having two parts;

a first of said two parts being disposed on said top side; and

a second of said two parts being disposed on said bottom side.

Claim 85 (amended). A modular house toy configuration,  
comprising:

at least first and second fixed supporting structures each  
having:

a solid floor;

a solid ceiling, said ceiling having a top side with a  
connector for releasably connecting another of said fixed  
supporting structures on said top side, said connector  
being a solid back wall permanently connecting said floor  
to said ceiling; and

an open arch permanently connecting said floor to said  
ceiling; and

said first fixed supporting structure removably connected to  
said second fixed supporting structure.

Claim 86 (amended). A modular house toy configuration,  
comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling, said ceiling having a top side with a connector for releasably connecting another of said fixed supporting structures on said top side, said connector being eight flanges;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling; and

said first fixed supporting structure removably connected to said second fixed supporting structure.

Claim 87 (twice amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling having a top side;

a solid back wall permanently connecting said floor to said ceiling;

an open arch permanently connecting said floor to said ceiling; and

a roof removably connected to said top side; and

said first fixed supporting structure removably connected to said second fixed supporting structure.

Claim 88 (twice amended). A modular house toy configuration, comprising:

at least first and second fixed supporting structures each having:

a solid floor;

a solid ceiling having a top side with a connector;

a solid back wall permanently connecting said floor to  
said ceiling;

an open arch permanently connecting said floor to said  
ceiling; and

a roof removably connected to said top side by said  
connector; and

said first fixed supporting structure removably connected to  
said second fixed supporting structure.